

CH-004 CPU HOLDER



Before starting assembly

- Carefully open the carton, remove contents and lay out on cardboard or other protective surface to avoid damage.
- Install and operate this device with care. Please read this instruction before beginning the installation, and carefully follow all instructions contained herein. Use proper safety equipment during installation. Do not use damaged or defective parts.
- Do not use this product for any purpose or in any configuration not explicitly specified in this instruction. We hereby disclaims any and all liability for injury or damage arising from incorrect assembly, incorrect mounting, or incorrect use of this product.


This CPU holder can be installed in two ways.

Option A: Under-Desk Install


Option B: Wall/Desk Sideboard Install




Supplied Parts List




(1) Holder-a



(1) Pole A-b



(1) Pole B-c




(1) Pole Clamp-d



(1) Grub Screw-e




(1) M4x4 Bolt-f




(3) M5x14 Bolt-g




(2) M6x6 Bolt-h




(3) M6x16 Screw-i



(4) M6x45 Lag Bolt-j




(4) M8x40 Concrete Anchor-k




(4) M6x16 Screw-l



(2) Cable Tie-m






(1) Round Plate-n



(1) Allen Key-o


Option A: Under-Desk Install



Option A: Under-Desk Install


5

Attach the Pole Clamp to Pole and add the M4x4 Bolt.




6

Measure the thickness of CPU. Adjust the width of CPU holder accordingly by loosening the four plastic knobs.



7


Manage the spare webbings by two cable ties provided.



Attach the CPU to the CPU holder and fasten the knobs. Fasten the webbings for additional security. Make sure the pads placed in the middle of CPU top surface.

Option B: Wall/Desk Sideboard Install

1





Remove two plastic knobs and dispart the side support bracket from CPU holder.



2

Install the wall bracket to a wall or the sideboard of wooden desk.


Concrete/Block Wall



Wood Studs Wall




Sideboard of Wooden Desk




Option B: Wall/Desk Sideboard Install

3

Attach the side support bracket to the CPU holder and screw on two plastic knobs. Please don't fasten them at this step.




4



Measure the thickness of CPU. Adjust the width of CPU holder accordingly by loosening the four plastic knobs.

5



Attach the CPU to the CPU holder and fasten the knobs. Fasten the webbings for additional security. Make sure the pads placed in the middle of CPU top surface.